jpt
Journal of Paint Technology

Annual Index

Volume 44
Numbers 564-575

January thru December, 1972

Journal of Paint Technology
1972 Annual Index

Key Word Index

A

Abrasion resistance ..... 47—Dec.
Accelerated blistering ..... 71—Oct.
Accelerated weathering ..... 80—May
Acrylic emulsion ..... 85—May
Acrylic vehicle ..... 61—Sept.
Adhesion ..... 111—Jan.
Adhesion vs. CPVC ..... 70—Mar.
Adhesives ..... 41—Jan.
Adsorbed resin layer ..... 46—Oct.
Adsorption ..... 41—Jan.
Agglomerates ..... 98—Jan.
Aggregates ..... 71—Dec.
Alkyd paint on wood ..... 88—July
Alkyd resins ..... 84—Sept.
Aluminum corrosion ..... 76—Mar.
Amine catalysis ..... 75—Oct.
Amino resin ..... 84—Nov.
Analysis of pigments ..... 51—Mar.
Analine ..... 116—Jan.
Aqueous emulsion coatings ..... 39—Dec.
Aromatic-aliphatic separations ..... 77—May
Artists' colorants ..... 51—Mar.
Asbestos and red oak standards ..... 64—Dec.
Atmospheric pollution ..... 41—Jan.
Autoradiography ..... 111—Jan.
Autophobic liquids ..... 41—Jan.
Azeotropes ..... 79—Jan.

B

Baked coating ..... 84—Nov.
Bake methods ..... 64—Nov.
Benzoic acid ..... 84—Sept.
Bitumen, infrared and spectrographic analysis of ..... 51—Mar.
Blister box ..... 71—Oct.
Blister resistance ..... 71—Oct.
Block resistance ..... 85—May
Borontriflouride etherate ..... 116—Jan.
Brushability ..... 68—Aug.
Building joint movement ..... 58—June
Building sealants ..... 55—Feb., 58—June, 75—Aug.
Butyl glycidyl ether ..... 116—Jan.

C

Cal Box UV lamps ..... 41—Oct.
Calcium-base ..... 63—Feb.
Can coating ..... 64—Nov.
Can design ..... 25—Feb.
Can lining ..... 92—Mar.
Can manufacture ..... 92—Mar.
Capillary rise ..... 41—Jan.
Carbon black ..... 95—Jan.
Cellulase ..... 39—Dec.
Cellulose acetate butyrate films ..... 74—June
Centrifugal classification ..... 86—Aug.
Chain transfer constants ..... 53—June
Chalking effects by dispersion ..... 90—Sept.
Charge acceptance ..... 98—Oct.
Checking ..... 80—May
Chemical, abrasion, impact resistant ..... 58—Dec.
Chromatographic analysis ..... 77—May
Chrome yellow, infrared spectra of coated type ..... 51—Mar.
CIE illuminant D75 ..... 83—Oct.
Class A paints ..... 43—Feb.
Closure ..... 25—Feb.
Coatings ..... 94—Apr.
Coating western red cedar ..... 80—May
Coil coating ..... 84—Nov.
Color Aptitude Test ..... 83—Oct.
Color comparison ..... 83—Oct.
Compatibility of polymers and solvents ..... 41—May
Concentration effects ..... 71—Dec.
Contact ..... 25—Feb.
Contact angles ..... 41—Jan., 57—July
Contamination ..... 41—Jan.
Contrast ratio ..... 76—Sept.
Corrosion cell ..... 76—Mar.
Corrosion of aluminum ..... 76—Mar.
Corrosion prevention ..... 41—Jan.
Corrosion protection ..... 67—July
Cost analysis ..... 58—Dec.
CPVC ..... 46—Nov.
Cracking ..... 68, 80—May
Cratering ..... 57—July
Critical surface tension ..... 41—Jan.
Cross-linking ..... 64—Nov.
Cross-linking agent ..... 84—Nov.
Cure measurement ..... 61—Sept.
Curing ..... 64—Nov.
Cyanoethyl liquid chromatography ..... 77—May
Cyclonic classifiers ..... 86—Aug.

D

Daylight lamps ..... 83—Oct.
Decorative coatings, examination and history of ..... 51—Mar.
Density of porous films ..... 70—June
Detection of carboxyl groups ..... 53—June
Dibasic acids ..... 58—Dec.
Diethanolamine ..... 58—Dec.
Diffusion ..... 111—Jan.
Diffusion in polymer mixtures ..... 41—May
Dirt retention ..... 57—July
Dispersion ..... 67—Apr.
Dispersion effect on weathering ..... 90—Sept.
Dispersion rate ..... 98—Jan.
Divinyl compound ..... 116—Jan.
Durable coatings ..... 56—Nov.
Dynamic analysis ..... 98—Jan.

E

Economic assessment ..... 70—Nov.
Electrical charge on powders ..... 98—Oct.
Electrical resistance ..... 67—July
Electrocoating ..... 95—Jan., 63—Mar., 39—June, 83—July
Electrodeposition ..... 63—Mar., 67—July
Electrodeposition resin micelles ..... 61—May
Electron accelerator ..... 94—Apr.
Electron beam curing ..... 61—Sept.
Electron microscopy ..... 111—Jan.
Electrophoretic deposition process, mathematical model of ..... 90—Oct.
Electrostatic application ..... 56—Aug.
Electrostatic powder coating ..... 98—Oct.
Emulsifier ..... 116—Jan.
Enzyme characterization ..... 39—Dec.
Epoxy group ..... 116—Jan.
Epoxy resins ..... 75—Oct.
Ethyl acrylate ..... 94—Apr.
Evaporation ..... 79—Jan.
Evaporative rate analysis ..... 64—Nov.
Expansion ..... 97—Sept.
Exposure comparison ..... 41—Oct.
Exposure measurement ..... 71—July
Epoxy-amine coating ..... 64—Nov.
Epoxy resins ..... 75—Oct.
Extenders ..... 63—Feb.
Exterior oil house paint ..... 68—May
Exterior paints ..... 70—Nov.

F

Factorial design ..... 43—Aug.
Filiform corrosion ..... 76—Mar.
Fill ..... 61—July
Film anisotropy ..... 97—Sept.
Film thickness in electrocoating ..... 83—July
Fire retardance ..... 75—Oct.
Fire retardant coating ..... 51—Aug.
Fire retardant paints ..... 43—Feb., 64—Dec.
Flaking ..... 68—May
Flash points ..... 38—Feb.
Flexible substrate coatings ..... 75—Nov.
Floc composition ..... 71—Dec.
Fluid energy mills ..... 56—Aug.
Fluorescence microscopy ..... 111—Jan.
Flux ..... 92—Mar.
Fourier transform spectroscopy ..... 52—Dec.
Free films ..... 97—Sept.
Fresnel reflectance ..... 59—Mar.
Fungal defacement ..... 43—Aug.

G

Gas chromatography ..... 79—Jan., 74—June
Gel formation ..... 94—Apr.
Glass transition temperature ..... 75—July
Gloss measurement ..... 61—July
Glycidyl methacrylate ..... 116—Jan.
Gravimetric determination ..... 95—Jan.
Grinders ..... 67—Apr.
Grinding ..... 67—Apr., 56—Aug.

H

Hard films ..... 58—Dec.
Hiding power ..... 63—Feb., 66—June, 76—Sept.
High-energy surfaces ..... 41—Jan.
High-speed dispersion ..... 98—Jan.
History of decorative coatings manufacture in U. S. ..... 51—Mar.
Hydrogen bonding ..... 41—Jan.

I

Immobilized liquid ..... 71—Dec.
Imperfections ..... 41—Jan.
Infrared analysis of pigments ..... 51—Mar.
Infrared spectroscopy ..... 85—Apr., 52—Dec.
Interaction (wood coating) ..... 111—Jan.
Interference pigments ..... 39—Mar.
Internal reflectance ..... 59—Mar.
Internal stresses ..... 70—Mar.
Interplay ..... 25—Feb.
Intumescence ..... 51—Aug., 75—Oct.
Iridescence ..... 39—Mar.
Iron content, effect on weathering ..... 90—Sept.

J

Joints ..... 41—Jan.
Joint movement ..... 58—June

K

Kubelka-Munk theory ..... 66—June

L

Laboratory simulation ..... 68—May
Langley measurement ..... 71—July
Latex paint on wood ..... 88—July
Lead white, varieties of; history of; analysis of ..... 51—Mar.
Leveling ..... 72—Jan.
Lightfast colorants, search for ..... 51—Mar.
Light scattering ..... 61, 91—May
Light sources ..... 83—Oct.
Linseed oil ..... 58—Dec.
Liquid surface tension ..... 41—Jan.
Low-energy surfaces ..... 41—Jan.

M

Mathematical modeling ..... 83—July
Mechanical properties of sealants ..... 55—Feb., 58—June, 75—Aug.
Mechanism of filiform corrosion ..... 76—Mar.
Melt viscosity ..... 75—July
Mercury displacement in films ..... 70—June
Metamerism ..... 83—Oct.
Micelle size ..... 61—May
Microfiltration ..... 95—Jan.
Microscopy ..... 111—Jan., 61—July
Migration ..... 25—Feb.
Mildew ..... 43—Aug.
Milling ..... 67—Apr., 56—Aug.
Mini-Viscometer ..... 68—Aug.
Minimum film formation temperature ..... 85—May
Mold ..... 43—Aug.
Molybdate orange, infrared spectra of coated type ..... 51—Mar.
Monomer reactivity ratio ..... 116—Jan.
Morphology of pigments ..... 51—Mar.

N

Nacreous ..... 39—Mar.
National gallery of art, research project on artists' materials ..... 51—Mar.
Nitroaromatic amine ..... 51—Aug.
Number average molecular weight ..... 75—July

O

Oil absorption ..... 46—Oct.
Openings ..... 25—Feb.
Organic colorants, lightfast types ..... 51—Mar.

Organic silicones ..... 85—Apr.
Outdoor weathering ..... 56—Nov.
Oven blister test ..... 71—Oct.
Overbaking ..... 64—Nov.
Ozone effects ..... 41—Oct.

P

Paint manufacture, in U. S.; history of ..... 51—Mar.
Particle size ..... 61, 91—May, 56, 86—Aug., 46—Nov.
Particulate matter ..... 70—Nov.
Pearlescent ..... 39—Mar.
Penetration (wood) ..... 111—Jan.
Performance testing of sealants ..... 75—Aug.
Phenol ..... 116—Jan.
Phenolic spar varnish ..... 88—July
Phosphorus fire retardance ..... 75—Oct.
Physical model ..... 46—Nov.
Pigment determination ..... 95—Jan.
Pigment dispersion ..... 98—Jan.
Pigment packing ..... 46—Nov.
Pigments ..... 95—Jan., 63—Feb., 51—Mar., 67—Apr., 91—May
Pigments under radiation curing ..... 61—Sept.
Pigmentation ..... 25—Feb.
Pigment volume concentration ..... 70—Mar.
Pigment volume effects ..... 85—May
Pine, loblolly and southern ..... 88—July
Polar solvents ..... 38—Feb.
Polycaprolactone polyols ..... 63—Oct., 75—Nov.
Polyesteramides ..... 58—Dec.
Polyetherification ..... 116—Jan.
Polymer latices, solubilized and non-solubilized ..... 90—Oct.
Polymerization ..... 84—Sept.
Polymerization of methyl methacrylate ..... 53—June
Polymerization of styrene ..... 53—June
Polymers ..... 41—Jan.
Polymers with carboxyl groups ..... 53—June
Polymers with halogen groups ..... 53—June
Polymer structure ..... 75—July
Polymethylenediurea formaldehyde resins ..... 84—Nov.
Polyvinylchloride ..... 94—Apr.
Porosity of films ..... 70—June
Powder coatings ..... 37—July, 56—Aug., 98—Oct.
Powder coatings resins ..... 75—July
Powder size classification ..... 86—Aug.
Pressure ..... 25—Feb.
Pretreatment ..... 61—July
Protective coatings ..... 41—Jan., 74—June
Pseudomonads ..... 39—Dec.
Pyranometer ..... 71—July
Pyrheliometer ..... 71—July

R

Radiation curing ..... 94—Apr., 61—Sept.
Radiation measurement ..... 71—July
Rapid dry ..... 58—Dec.
Rate of movement, dependence of mechanical properties of sealants ..... 58—June, 75—Aug.
Rate of movement in building joints ..... 55—Feb., 58—June
Reduced water pollution in electrocoating ..... 63—Mar.
Reflectance ..... 59—Mar.
Reflection measurement ..... 66—June
Reflection spectroscopy ..... 52—Dec.
Reflectivity loss ..... 90—Sept.
Relative humidity in filiform corrosion ..... 76—Mar.
Resin ..... 95—Jan., 58—Dec.
Retracted monolayers ..... 41—Jan.
Reverse osmosis ..... 63—Mar.
Rheology ..... 72—Jan., 71—Dec.
Roughness ..... 41—Jan., 61—July

S

Saturated polyester resins ..... 75—July
Scanning electron microscopy (SEM) of wood ..... 88—July
Scientific examination of artists' colorants ..... 51—Mar.
Scuff resistance ..... 47—Dec.
Sealants ..... 55—Feb., 58—June, 75—Aug.
Separation from pigments ..... 95—Jan.
Separation from resin ..... 95—Jan.
Sessile drop ..... 41—Jan.
Sheet metal coatings ..... 47—Dec.
Side seam coating ..... 92—Mar.
Silanes ..... 85—Apr.
Silica-coated pigments ..... 51—Mar.
Silicones ..... 85—Apr.
Silicone sealants ..... 55—Feb., 58—June, 75—Aug.
Solderable coating ..... 92—Mar.
Solid surfaces ..... 41—Jan.
Solubility parameter ..... 57—July
Solubility theory ..... 55—Apr.
Solution properties ..... 55—Apr.
Solvents ..... 79—Jan.
Solvent analysis ..... 77—May
Solvent composition ..... 74—June
Solvent extraction ..... 74—June
Solvents for polystyrene ..... 54—May
Solvent rating ..... 25—Feb.
Solvent resistance ..... 116—Jan.
Soya fatty acid ..... 84—Sept.
Soybean oil ..... 58—Dec.
Specular reflectance ..... 41—Oct.
Spray drying ..... 56—Aug.
Stability of polymer mixtures ..... 41, 54—May
Substitution ..... 63—Feb.
Substrate ..... 71—Oct.
Sulfur and lead isotope analysis of pigment ..... 51—Mar.
Sulfur dioxide ..... 70—Nov.
Surface energy ..... 41—Jan.
Surface film ..... 41—Jan.
Surface profiles ..... 61—July
Surface properties ..... 57—July
Surface treatment ..... 41—Jan.
Surface wetting ..... 67-Apr.
Swelling ..... 111—Jan.

T

Tag open cup ..... 38—Feb.
Telomerization ..... 53—June
Temperature dependence of mechanical properties of sealants ..... 75—Aug.
Tensile strength ..... 41—Jan.
Tensile strength vs CPVC ..... 70—Mar.
Testing ..... 72—Jan.
Thermodynamic equilibrium ..... 41—Jan.
Thermodynamic properties ..... 55—Apr.
Thixotropic coatings ..... 72—Jan.
Throwing power ..... 67—July
Tint retention ..... 85—May
Titanium dioxide ..... 63—Feb., 91—May
Titanium dioxide dispersion ..... 90—Sept.
Transmittance ..... 59—Mar.
Triethylbenzyl ammonium chloride ..... 116—Jan.
Triphenyl phosphate ..... 75—Oct.
Triple-tite cans ..... 25—Feb.
Tritium ..... 111—Jan.
Tritium labelling ..... 111—Jan.
Tungsten carbide ..... 47—Dec.
Tungsten panel ..... 70—June
Turbidities of polystyrene solutions ..... 54—May
Turbidity of polymer mixtures ..... 41—May
Two-foot tunnel test ..... 43—Feb., 64—Dec.

U

Ultrafiltration ..... 63—Mar.
Ultramarine, analysis of ..... 51—Mar.
Ultraviolet degradation ..... 88—July, 41—Oct.
Urethane coatings ..... 111—Jan., 63—Oct., 75—Nov.
Urethane (modified) ..... 58—Dec.
Urethane vehicle ..... 61—Sept.

V

Van Dyke brown, infrared analysis of ..... 51—Mar.
Vapor liquid equilibrium ..... 79—Jan.
Vapor pressure ..... 79—Jan.
Vehicle ..... 25—Feb.
Vehicle type ..... 25—Feb.
Viscometer ..... 68—Aug.
Viscometer flow ..... 72—Jan.
Viscosity ..... 25—Feb., 68—Aug.
Viscosity of polymers solutions ..... 41—May
Visual color comparison ..... 83—Oct.
Voltage in electrocoating ..... 83—July
Vortex formation ..... 86—Aug.

W

Water ..... 68—May
Water-displacing agents ..... 41—Jan.
Water immersion ..... 97—Sept.
Water resistance ..... 116—Jan.
Weathered wood ..... 88—July
Weathering effects by dispersion ..... 90—Sept.
Weather machines ..... 41—Oct.
Weather-Ometer ..... 80—May, 56—Nov.
Wetting ..... 41—Jan., 57—July
Wood ..... 68—May
Wood chemistry ..... 111—Jan.
Wood coating ..... 111—Jan.
Wood degradation ..... 88—July
Wood structure and microstructure ..... 111—Jan.

Z

Zeta potential ..... 83—July
Zinc-rich paint density ..... 70—June

Alphabetical Listing of Papers

A

Accelerated Tests for Blistering Tendency of House Paints—D. M. Gans, Oct., p. 71.
Accelerated Weathering of Coatings on Western Red Cedar—R. L. Desai, May, p. 80.
Acrylic Emulsions and Formulating Variables for Factory Prefinishing of Wood—R. P. Hopkins, E. W. Lewandowski, and T. E. Purcell, May, p. 85.
Adjustable Position Mount for Measuring Total Incoming Radiation on Exposure Panels—B. W. Cram and J. L. Scott, July, p. 71.
Aromatic-Aliphatic Selectivity of Cyanoethyl Liquid Phases—G. G. Esposito and R. G. Jamison, May, p. 77.
Autoradiography of Coated Wood—M. H. Schneider and P-C Chang, Jan., p. 111.

C

Calcium-Base Titanium Pigments—Death of a Giant—F. B. Stieg, Feb., p. 63.
Calculation of Hiding Power from Reflection Measurement for Absorbing and Nonabsorbing Films—D. B. Clayton, June, p. 66.
Changing Spectrum—E. Barry, Feb., p. 19.
Chelating Polymers in the Coatings Industry—J. T. Vandeberg, June, p. 77.
Chemical Attack and Economic Assessment of Air Pollutants on Exterior Paints—J. W. Spence and F. H. Haynie, Nov., p. 70.
Coatings From Cave Man to Appollo 8—A. E. Rheineck, Apr., p. 35.
Correlation of the Effects of the Dew Cycle Weather-Ometer and Florida Exposure on Highly Durable Coatings—W. A. Finzel, Nov., p. 56.
CPVC Calculations—G. P. Bierwagen, Nov., p. 45.
Cracking and Flaking of Exterior Oil House Paint on Wood—R. S. Yamasaki, May, p. 68.

D

Density Determination of Porous Films—K. G. Mayhan, J. M. Montle, and O. K. Crosser, June, p. 70.
Determining the Efficiency of Various Bake Methods for Can Coatings by Evaporative Rate Analysis—A. G. Rossi and G. A. Charland, Nov., p. 64.
Determination of the Solvent Composition of Cellulose Acetate Butyrate Protective Coatings—W. M. Miller and F. Spagnolo, June, p. 74.
Device to Measure Scuff Resistance of Coated Sheet Metal—R. S. Budrys and G. K. Korpi, Dec., p. 47.
Dynamic Analysis and Mathematical Modeling of High-Speed Dispersion System—E. F. Wahl, G. G. Pangborn, and H. A. McCurdy, Jan., p. 98.

E

Effects of Crystal Structure and Grinder Energy on Fine Grinding of Pigments—R. F. Conley, Apr., p. 67.
Effect Obtained on Flash Points With the Addition of Polar Solvents to Xylene—Kansas City Society, Feb., p. 38.
Electrical Resistance Between Electrode and Tank Wall in Electrocoating Systems—G. E. F. Brewer, R. F. Hines, and W. A. Goodbar, July, p. 67.
Electrocoat, Powder Coat, Radiate — Which and Why: Part I—S. B. Levinson, June, p. 39.
Electrocoat, Powder Coat, Radiate — Which and Why: Part II—S. B. Levinson—July, p. 37.
Electrocoat, Powder Coat, Radiate — Which and Why: Part III—S. B. Levinson, Aug., p. 27.
Evaluation of Centrifugal Method for Effective Solids in High-Pigmented Inorganic Zinc Coating Systems—Houston Society, Feb., p. 52.

F

Fast Curing Methylated Urea-Formaldehyde Resins in Surface Coatings—W. L. Hensley, Sept., p. 87.

Filiform Corrosion of Aluminum—W. H. Slabaugh, W. Dejager, S. E. Hoover, and L. I. Hutchinson, Mar., p. 76.

Free Radical Polymerization of Styrene and Methyl Methacrylate in Presence of Organic Halogen Compounds—R. B. Seymour and V. Patel, June, p. 53.

G

Gravimetric Determination of Combustible Organic Pigments (Carbon Black) in Presence of Organic, Solvent-Soluble Resins and Inorganic Pigments (Ash)—Detroit Society, Jan., p. 95.

I

Identification of Organosilicon Liquids By Infrared Spectroscopy—K. G. Mayhan, L. F. Thompson, and C. F. Magdalin, Apr., p. 85.

Infrared Fourier Transform Spectroscopy in Coatings Industry—IV. Reflection/Absorption Spectra—M. J. D. Low and H. Mark, Dec., p. 52.

Intumescent Coating for Improved Fuel Fire Protection of Heat Sensitive Articles—P. M. Sawko, E. J. Fontes and S. R. Riccitiello, Aug., p. 51.

Investigation of Possible Reaction Between Benzoic Acid and Soya Fatty Acid During Alkyd Preparation—J. T. Geoghegan and W. E. Bambrick, Sept., p. 84.

M

Major Factors Influencing Fungal Growth: A Survey and Plan of Investigation—D. O. Hill and G. C. April, Aug., p. 43.

Mathematical Model for Predicting Film Thickness of Electrocoated Films—L. R. Munson, July, p. 83.

Measurement of Charging and Discharging Characteristics of Powdered Polymers—L. L. Spiller, Oct., p. 98.

Measuring Hiding Power of Colored Paints—E. L. Cairns, Sept., p. 76.

Measurement of Particle Size of Anionic Electrodeposition Resin Micelles and Factors Which Influence Micelle Size—P. E. Pierce and C. E. Cowan, May, p. 61.

Mechanical Properties of Sealants: I. Behaviour of Silicone Sealants as a Function of Temperature—K. K. Karpati, Feb., p. 55.

Mechanical Properties of Sealants: II. Behaviour of a Silicone Sealant as a Function of Rate of Movement—K. K. Karpati, June, p. 58.

Mechanical Properties of Sealants: III. Performance Testing of Silicone Sealants—K. K. Karpati, Aug., p. 75.

Miniature Absolute Viscometer for Coatings—D. M. Gans, Aug., p. 68.

N

Novel Fire Retardant Intumescent Coatings—N. D. Blair, G. Witschard, and R. R. Hindersinn, Oct., p. 75.

O

Opacimeter—An Instrument for Measuring Pigment Concentration—R. J. Blackinton, Mar., p. 84.

Optical Characteristics of Iridescence and Interference Pigments—R. A. Bolomey and L. M. Greenstein, Mar., p. 39.

OSHA: Questions and Answers—July, p. 32.

P

Particle Size Classification of Plastic Powders—R. E. Schaller and C. E. Lapple, Aug., p. 86.

Particle Size Distribution of Titanium Dioxide Pigments From Light Scattering Measurements—R. A. Slepetys, May, p. 91.

Pigmentation of Radiation Curable Systems—T. F. Huemmer, L. A. Wasowski, and R. J. Plooy, Sept., p. 61.

Polyesteramides From Linseed and Soybean Oils for Protective Coatings: Alkyd-Type Polymers—W. J. Schneider, L. E. Gast, V. E. Sohns, and J. C. Cowan, Dec., p. 58.

Polymethylenediurea Formaldehyde Resins in Polyester Liquid Coatings, Houston Society, Nov., p. 84.

Powder Coating—Why, How, When—Detroit Society, Feb., p. 30.

Precise Control of Solvent Blend Composition During Evaporation—W. H. Ellis and P. L. Goff, Jan., p. 79.

Prediction of Replenishment Characteristics of a Continuous Electrophoretic Coating Process: Contrast Between Solubilized and Nonsolubilized Polymer Latices—B. D. Washo, Oct., p. 90.

Preparation of Powders for Electrostatically Applied Coatings—J. D. Crowley, G. S. Teague, L. G. Curtis, R. G. Foulk and F. M. Ball—Aug., p. 56.

Preparation of Reactive Polymers from Glycidyl Methacrylate and Their Reactivities—M. Yoshino, M. Shibata, M. Tanaka, and M. Sakai, Jan., p. 116.

Q

Quantitative Measures of Leveling—J. S. Dodge, Jan., p. 72.

R

Radiation Curing of Polyvinylchloride Coatings—G. R. Berbeco and E. O. Hook, Apr., p. 94.

Reference Standards for Reporting Filiform Corrosion—Detroit Society, Feb., p. 48.

Rheological Properties of Dispersions of Particulate Solids in Liquid Media—T. L. Smith, Dec., p. 71.

S

Saturated Polyesters: Melt Viscosity and Glass Transition Temperature—Eugene M. Holda, July, p. 75.

Scanning Electron Microscopy of Weathered Coatings on Wood—J. B. Zicherman and R. J. Thomas, July, p. 88.

Scientific Approach to Visual Color Comparison—S. Huey, Oct., p. 83.

Scientific Examination of Artistic and Decorative Colorants—R. L. Feller, Mar., p. 51.

SEM and EDXA for the Detection of Resin Penetration Into Wood Cell Walls—L. A. Smith and W. A. Cote, Jan., p. 71.

Solderable Can Lining—E. G. Trousil, Mar., p. 92.

Stability of Polymer Mixtures Part I: Coagulation of Polymer Dispersions—A. Rudin and H. K. Johnston, May, p. 41.

Stability of Polymer Mixtures Part II: Application of Kinetic and Solubility Parameter Models to Polystyrene Dispersions—A. Rudin, H. K. Johnston, and R. E. Nicholson, May, p. 54.

Studies on Adhesion: Role of Pigments—J. N. Reddy, R. V. Rao, P. S. Sampathkumaran, and M. A. Sivasamban, Mar., p. 70.

Study of Vehicle Migration from Closed Paint Cans—Triple-Tite Type—New York Society, Feb., p. 25.

Surface Dewetting and Coatings Performance—C. M. Hansen, July, p. 57.

Surface Energetics of Wetting, Spreading, and Adhesion—W. A. Zisman, Jan., p. 41.

Surface Roughness Profiles and Coatings Performance—C. M. Hansen, July, p. 61.

Synthesis of Extracellular Cellulases in Aqueous Emulsion Coatings by Pseudomonads—H. Winters, Dec., p. 39.

T

Thermodynamic Properties of Liquids, Including Solutions. VI. New Approach to the Prediction of Solubilities—M. L. Huggins, Apr., p. 55.
Titanium Dioxide: Relationship of Dispersion Process to Weathing Properties—D. P. Richards and G. W. Bovenizer, Sept., p. 90.
Transmittance and Reflectance of Thin Paint Films—C. G. Williams and S. N. S. Bains, Mar., p. 59.
Two-Foot Tunnel Test: A Preliminary Screening Aid in Formulating Class A Fire Retardant Paints for Ultimate UL Approval—St. Louis Society, Feb., p. 43.
Two-Foot Tunnel Test:—A Study of the Variability of the Red Oak and Asbestos Standards and the Effect on Flame Spread Ratings—St. Louis Society, Dec., p. 64.

U

Ultrafiltration—Process Aid in Electrocoating—L. R. LeBras and R. M. Christenson, Mar., p 63.
Urethane Coatings Derived from Polycaprolactone Polyols: 1. Rigid Substrate Coatings—L. R. Comstock, C. L. Millligan and R. P. Monter, Oct., p. 63.
Urethane Coatings Derived from Polycaprolactone Polyols II: Flexible Substrate Coatings—L. R. Comstock, R. M. Gerkin, C. L. Milligan, and R. P. Monter, Nov., p. 75.
Use of Infrared Specular Reflectance in Study of Ultraviolet Degradation of Polymer Films—K. E. Isakson, Oct., p. 41.

W

Water Soak Expansion of Free Paint Films—D. M. Gans, Sept., p. 97.
Wood-Coating Interactions—A Review—M. H. Schneider, Jan., p. 108.

Author Index

A

April, G. C.—see Hill, D. O.

B

Bains, S. N. S.—see Williams, G. C.
Ball, F. M.—see Crowley, J. D.
Bambrick, W. E.—see Geoghegan, J. T.
Barry, E.—Changing Spectrum, Feb., p. 19.
Berbeco, G. R. and Hook, E. O.—Radiation Curing of Polyvinylchloride Coatings, Apr., p. 94.
Bierwagen, G. P.—CPVC Calculations, Nov., p. 45.
Blackinton, R. J.—Opacimeter—An Instrument for Measuring Pigment Concentration, Mar., p. 84.
Blair, N. D., Witschard, G., and Hindersinn, R. R.—Novel Fire Retardant Intumescent Coatings, Oct., p. 75.
Bolomey, R. A. and Greenstein, L. M.—Optical Characteristics of Iridescence and Interference Pigments, Mar., p. 39.
Bovenizer, G. W.—see Richards, D. P.
Brewer, G. E. F., Hines, R. F., and Goodbar, W. A.—Electrical Resistance between Electrode and Tank Wall in Electrocoating Systems, July, p. 67.
Budrys, R. S. and Korpi, G. K.—Device to Measure Scuff Resistance of Coated Sheet Metal, Dec., p. 57.

C

Cairns, E. L.—Measuring Hiding Power of Colored Paints, Sept., p. 76.
Chang, P-C—see Schneider, M. H.
Charland, G. A.—see Rossi, A. G.
Christenson, R. M.—see LeBras, L. R.
Clayton, D. B.—Calculation of Hiding Power From Reflection Measurement for Absorbing and Nonabsorbing Films, June, p. 66.
Comstock, L. R., Milligan, C. L., and Monter, R. P.—Urethane Coatings Derived from Polycaprolactone Polyols: I. Rigid Substrate Coatings, Oct., p. 63.
Comstock, L. R., Gerkin, C. L., Milligan, C. L., and Monter, R. P.,—Urethane Coatings Derived from Polycaprolactone Polyols II: Flexible Substrate Coatings, Nov., p. 75.
Conley, R. F.—Effects of Crystal Structure and Grinder Energy on Fine Grinding Pigments, Apr., p. 67.
Cote, W. A.—see Smith, L. A.
Cowan, C. E.—see Pierce, P. E.
Cowan, J. C.—see Schneider, W. J.
Cram, B. W. and Scott, J. L.—An Adjustable Position Mount for Measuring Total Incoming Radiation on Exposure Panels, July, p. 71.
Crosser, O. K.—see Mayhan, K. G.
Crowley, J. D., Teague, G. S., Curtis, L. G., Foulk, R. G., and Ball, F. M.—Preparation of Powders for Electrostatically Applied Coatings, Aug., p. 56.
Curtis, L. G.—see Crowley, J. D.

D

DeJager, W.—see Slabaugh, W. H.
Desai, R. L.—Accelerated Weathering of Coatings on Western Red Cedar, May, p. 80.
Dodge, J. S.—Quantitative Measures of Leveling, Jan., p. 72.

E

Ellis, W. H. and Goff, P. L.—Precise Control of Solvent Blend Composition During Evaporation, Jan., p. 79.
Esposito, G. G. and Jamison, R. G.—Aromatic-Aliphatic Selectivity of Cyanoethyl Liquid Phases, May, p. 77.

F

Feller, R. L.—Scientific Examination of Artistic and Decorative Colorants, Mar. p. 51.
Finzel, W. A.—Correlation of the Effects of the Dew Cycle Weather-Ometer and Florida Exposure on Highly Durable Coatings, Nov., p. 56.
Fontes, E. J.—see Sawko, P. M.
Foulk, R. G.—see Crowley, J. D.

G

Gans, D. M.—Miniature Absolute Viscometer for Coatings, Aug., p. 58.
Gans, D. M.—Water Soak Expansion of Free Paint Films, Sept., p. 97.
Gans, D. M.—Accelerated Tests for Blistering Tendency of House Paints, Oct., p. 71.

GAST, L. E.—see Schneider, W. J.
GEOGHEGAN, J. T. and BAMBRICK, W. E.—Investigation of Possible Reaction Between Benzoic Acid and Soya Fatty Acid During Alkyd Preparation, Sept., p. 84.
GERKIN, R. M.—see Comstock, L. R.
GOFF, P. L.—see Ellis, W. H.
GOODBAR, WILLIAM A.—see Brewer, G. E. F.
GREENSTEIN, L. M.—see Bolomey, R. A.

H

HANSEN, C. M.—Surface Dewetting and Coatings Performance, July, p. 57.
HANSEN, C. M.—Surface Roughness Profiles and Coatings Performance, July, p. 61.
HAYNIE, F. H.—see Spence, J. W.
HENSLEY, W. L.—Fast Curing Methylated Urea-Formaldehyde Resins in Surface Coatings, Sept., p. 87.
HILL, D. O. and APRIL, G. C.—Major Factors Influencing Fungal Growth: A Survey and Plan of Investigation, Aug., p. 43.
HINDERSINN, R. R.—see Blair, N. D.
HINES, R. F.—see Brewer, G. E. F.
HOLDA, E. M.—Saturated Polyesters: Melt Viscosity and Glass Transition Temperature, July, p. 75.
HOOK, E. O.—see Berbeco, G. R.
HOOVER, W.—see Slabaugh, W. H.
HOPKINS, R. P., LEWANDOWSKI, E. W., and PURCELL, T. E.—Acrylic Emulsions and Formulating Variables for Factory Prefinishing of Wood, May, p. 85.
HUEMMER, T. F., WASOWSKI, L. A., and PLOOY, R. J.—Pigmentation of Radiation Curable Systems, Sept., p. 61.
HUEY, S.—Scientific Approach to Visual Color Comparison, Oct., p. 83.
HUGGINS, M. L.—Thermodynamic Properties of Liquids Including Solutions. VI. New Approach to the Prediction of Solubilities, Apr., p. 55.
HUTCHINSON, L. I.—see Slabaugh, W. H.

I

ISAKSON, K. E.—Use of Infrared Reflectance in Study of Ultraviolet Degradation of Polymer Films, Oct., p. 41.

J

JAMISON, R. G.—see Esposito, G. G.
JOHNSTON, H. K.—see Rudin, A.

K

KARPATI, K. K.—Mechanical Properties of Sealants: I: Behaviour of Silicone Sealants as a Function of Temperature, Feb., p. 55.
KARPATI, K. K.—Mechanical Properties of Sealants: II. Behaviour of A Silicone Sealant as a Function of Rate of Movement, June, p. 58.
KARPATI, K. K.—Mechanical Properties of Sealants: III. Performance Testing of Silicone Sealants, Aug., p. 75.
KORPI, G. K.—see Budrys, R. S.

L

LAPPLE, C. E.—see Schaller, R. E.
LEBRAS, L. R. and CHRISTENSON, R. M.—Ultrafiltration—A Process Aid in Electrocoating, Mar., p. 63.
LEVINSON, S. B.—Electrocoat, Powder Coat, Radiate—Which and Why: Part I. June, p. 39.
LEVINSON, S. B.—Electrocoat, Powder Coat, Radiate—Which and Why: Part II, July, p. 37.
LEVINSON, S. B.—Electrocoat, Powder Coat, Radiate—Which and Why: Part III, Aug., p. 27.
LEWANDOWSKI, E. W. —see Hopkins, R. P.
LOW, M. J. D. and MARK, H.—Infrared Fourier Transform Spectroscopy in Coatings Industry—IV. Reflection/Absorption Spectra, Dec., p. 52.

M

MAGDALIN, C. F.—see Mayhan, K. G.
MARK, H.—see LOW, M. J. D.
MAYHAN, K. G., THOMPSON, L. F., and MAGDALIN, C. F.—Identification of Organosilicon Liquids by Infrared Spectroscopy, Apr., p. 85.
MAYHAN, K. G., MONTLE, J. M., and CROSSER, O. K.—Density Determination of Porous Films, June, p. 70.
MCCURDY, H. A.—see Wahl, E. F.
MILLER, M. W. and SPAGNOLO, F.—Determination of the Solvent Composition of Cellulose Acetate Butyrate Protective Coatings, June, p. 74.
MILLIGAN, C. L.—see Comstock, L. R.
MONTER, R. P.—see Comstock, L. R.
MONTLE, J. M.—see Mayhan, K. G.
MUNSON, L. R.—Mathematical Model for Predicting Film Thickness of Electrocoated Films, July, p. 83.

N

NICHOLSON, R. E.—see Rudin, A.

P

PANGBORN, G. G.—see Wahl, E. F.
PATEL, V.—see Seymour, R. B.
PIERCE, P. E. and COWAN, C. E.—Measurement of Particle Size of Anionic Electrodeposition Resin Micelles and Factors Which Influence Micelle Size, May, p. 61.
PLOOY, R. J.—see Huemmer, T. F.
PURCELL, T. E.—see Hopkins, R. P.

R

RAO, R. V.—see Reddy, J. N.
REDDY, J. N., RAO, R. V., SAMPATHKUMARAN, P. S., and SIVASAMBAN, M. A.—Studies on Adhesion: Role of Pigments, Mar., p. 70.
RHEINECK, A. E.—Coatings from the Caveman to Apollo 8, Apr., p. 35.
RICCITIELLO, S. R.—see Sawko, P. M.
RICHARDS, D. P. and BOVENIZER, G. W.—Titanium Dioxide: Relationship of Dispersion Process to Weathering Properties, Sept., p. 90.
ROSSI, A. G. and CHARLAND, G. A.—Determining the Efficiency of Various Bake Methods for Can Coatings by Evaporative Rate Analysis, Nov., p. 64.
RUDIN, A. and JOHNSTON, H. K.—Stability of Polymer Mixtures Part I; Coagulation of Polymer Dispersions, May, p. 41.
RUDIN, A., JOHNSTON, H. K., and NICHOLSON, R. E.—Stability of Polymer Mixtures Part II: Application of Kinetic and Solubility Parameter Models to Polystyrene Dispersions, May, p. 54.

S

SAKAI, M.—see Yoshino, M.
SAMPATHKUMARAN, P. S.—see Reddy, J. N.
SAWKO, P. M., FONTES, E. J., and RICCITIELLO, S. R.—Intumescent Coating for Improved Fuel Fire Protection of Heat Sensitive Articles, Aug., p. 51.
SCHALLER, R. E. and LAPPLE, C. E.—Particle Size Classification of Plastic Powders, Aug., p. 86.
SCHNEIDER, M. H.—Wood-Coating Interactions—A Review, Jan., p. 108.
SCHNEIDER, M. H. and CHANG, P-C—Autoradiography of Coated Wood, Jan., p. 111.
SCHNEIDER, W. J., GAST, L. E., SOHNS, V. E., and COWAN, J. C.—Polyesteramides From Linseed and Soybean Oils for Protective Coatings: Alkyd-Type Polymers, Dec., p. 58.
SCOTT, J. L.—see Cram, B. W.
SEYMOUR, R. B. and PATEL, V.—Free Radical Polymerization of Styrene and Methyl Methacrylate in Presence of Organic Halogen Compounds, June, p. 53.

SHIBATA, M.—see Yoshino, M.
SIVASAMBAN, M. A.—see Reddy, J. N.
SLABAUGH, W. H., DEJAGER, W., HOOVER, S. E., and HUTCHINSON, L. I.—Filiform Corrosion of Aluminum, Mar., p. 76.
SLEPETYS, R. A.—Particle Size Distribution of Titanium Dioxide Pigments from Light Scattering Measurements, May, p. 91.
SMITH, L. A. and COTE, W. A.—SEM and EDXA for the Detection of Resin Penetration into Wood Cell Walls, Jan., p. 71.
SMITH, T. L.—Rheological Properties of Dispersions of Particulate Solids in Liquid Media, Dec., p. 71.
SOHNS, V. E.—see Schneider, W. J.
SPAGNOLO, F.—see Miller, M. W.
SPENCE, J. W. and HAYNIE, F. W.—Chemical Attack and Economic Assessment of Air Pollutants on Exterior Paints, Nov., p. 70.
SPILLER, L. L.—Measurement of Charging and Discharging Characteristics of Powdered Polymers, Oct., p. 98.
STIEG, F. B.—Calcium-Base Titanium Pigments—Death of a Giant, Feb., p. 63.

T

TANAKA, M.—see Yoshino, M.
TEAGUE, G. S.—see Crowley, J. D.
THOMAS, R. J.—see Zicherman, J. B.
THOMPSON, L. F.—see Mayhan, K. G.
TROUSIL, E. G.—Solderable Can Lining, Mar., p. 92.

V

VANDEBERG, J. T.—Chelating Polymers in the Coatings Industry, June, p. 77.

W

WAHL, E. F., PANGBORN, G. G., and MCCURDY, H. A.—Dynamic Analysis and Mathematical Modeling of High-Speed Dispersion Systems, Jan. p. 98.
WASHO, B. D.—Prediction of Replenishment Characteristics of a Continuous Electrophoretic Coating Process: Contrast Between Solubilized and Nonsolubilized Polymer Latices, Oct., p. 90.
WASOWSKI, L. A.—see Huemmer, T. F.
WILLIAMS, G. C. and BAINS, S. N. S.—Transmittance and Reflectance of Thin Paint Films, Mar., p. 59.
WINTERS, H.—Synthesis of Extracellular Cellulases in Aqueous Emulsion Coatings by Pseudomonads, Dec., p. 39.
WITSCHARD, G.—see Blair, N. D.

Y

YAMASAKI, R. S.—Cracking and Flaking of Exterior Oil House Paint on Wood, May, p. 68.
YOSHINO, M., SHIBATA, M., TANAKA, M., and SAKAI, M.—Preparation of Reactive Polymers From Glycidyl Methacrylate and Their Reactivities, Jan., p. 116.

Z

ZICHERMAN, J. B. and THOMAS, R. J.—Scanning Electron Microscopy of Weathered Coatings on Wood, July, p. 88.
ZISMAN, W. A.—Surface Energetics of Wetting, Spreading, and Adhesion, Jan., p. 41.

Proceedings Of the Paint Research Institute

No. 87 Annual Report of PRI Research Director—R. R. Meyers, Jan., p. 58.

No. 88 SEM and EDXA for the Detection of Resin Penetration Into Wood Cell Walls—L. A. Smith and W. A Cote, Jan., p. 71.

No. 89 Thermodynamic Properties of Liquids, Including Solutions. VI. New Approach to the Prediction of Solubilities—M. L. Huggins, Apr., p. 55.

No. 90 Stability of Polymer Mixtures. Part I—Coagulation of Polymer Dispersions—A. Rudin and H. K. Johnston, May, p. 41.

No. 91 Stability of Polymer Mixtures. Part II—Application of Kinetic and Solubility Parameter Models to Polystyrene Dispersions—A. Rudin, H. K. Johnston, and R. E. Nicholson, May, p. 54.

No. 92 Free Radical Polymerization of Styrene and Methyl Methacrylate In Presence of Organic Halogen Compounds—R. B. Seymour and V. Patel, June, p. 53.

Constituent Society Papers

Detroit—Gravimetric Determination of Combustible Organic Pigments (Carbon Black) in Presence of Organic, Solvent-Soluble Resins and Inorganic Pigments (Ash), Jan., p. 95.

Detroit—Powder Coating — Why, How, When? Feb., p. 30.

Detroit—Reference Standards for Reporting Filiform Corrosion, Feb., p. 48.

Houston—Evaluation of Centrifugal Method for Effective Solids in High-Pigmented Inorganic Zinc Coating Systems, Feb., p. 52.

Houston—Polymethylenediurea Formaldehyde Resins in Polyester Liquid Coatings, Nov., p. 84.

Kansas City—Effect Obtained on Flash Points With the Addition of Polar Solvents to Xylene, Feb., p. 38.

New York—Study of Vehicle Migration From Closed Paint Cans —Triple-Tite Type, Feb., p. 25.

St. Louis—Two-Foot Tunnel Test: A Preliminary Screening Aid in Formulating Class A Fine Retardant Paints for Ultimate UL Approval, Feb., p. 43.

St. Louis—Two-Foot Tunnel Test: Study of the Variability of the Red Oak and Asbestos Standards and the Effect on Flame Spread Ratings, Dec., p. 64.